



Product:

A pure disc of light

w182 Pastille

A pure disc of light, attached to a thin line. With its geometric approach, innovative materials and sophisticated mechanics, w182 Pastille offers not only high-end performance at a mid-range price – but also a new way of relating to the light around us.

Design:

Sam Hecht and Kim Colin



Sam Hecht and Kim Colin created their office Industrial Facility to apply a thoughtful consideration of form with a unique understanding of contemporary life, creating beauty out of utility in the products, furniture and exhibitions they design. Hecht, from London, trained as an industrial designer, while Colin, from Los Angeles, trained as an architect. With a roster of pioneering clients, including Muji and Herman Miller, they are regarded for their philosophical and pragmatic approach. They are elected Royal Designers, an honour that recognises sustained design excellence and significant benefit to society. Works are held in most permanent collections, including the MoMA, NY; Centre Pompidou, Paris; and the V&A, London.



## Smooth rotation

By fluidly rotating upwards, downwards, and around its own axis, w182 Pastille freely articulates surfaces to create soft, diffused light as well as gentle yet clear definition.



## Renewable and recyclable material

The warm tactility of w182 Pastille comes from its renewable and recyclable high-performance material – a bio-polyamide based on over 60% biologically sourced material from the castor plant.



## Attention to detail

Every detail has been given careful thought and is crafted with great precision – from the over-moulded metal parts and ultrasonic welding, to the dimmer button on the top of the vertical pole.



## Remarkable spread of qualitative light

Thanks to a perfect balance between a COB LED light source, a large reflector and a generous concave diffuser, w182 Pastille provides a spread of warm, soft illumination. The smooth dimming is controlled with a touch of the button on top of the vertical pole.



## Minimal footprint, maximal flexibility

w182 Pastille is adaptable to a variety of spatial conditions while taking up minimal space. In addition to the classic desk model, a wide range of mounting options allow it to be clamped to a desk or shelf, attached to a wall, placed on a floor, or integrated into a desk or wall surface with no visible cable.



## Additional features

- Energy efficient
- Long lasting light source
- High colour rendering index
- Flicker-free light
- Flat-pack


# Technical information

## Luminous intensity distribution (polar)

### w182 Pastille c2

Luminaire luminous flux: 494 lm

Luminaire luminous efficacy: 82 lm / W




● C0/C180  
● C90/C270

cd

### Isolux

h: 0.34 m

E-max: 2000 lux



m

Physical	<b>Mounting</b>	Article-specific information
	<b>Material</b>	Lamp body: biopolyamide Reflector: ABS Diffuser: polycarbonate Table base/clamp: biopolyamide & steel Pin/bracket: biopolyamide Floor stand: iron
	<b>Cord length</b>	Article-specific information
	<b>Colour</b>	Article-specific information
	<b>Net weight</b>	Article-specific information
	<b>Operation</b>	Integrated dimmer switch

LED	<b>Light source</b>	COB LED (included)
	<b>Life time expectancy</b>	50,000 h
	<b>Luminous flux (light source)</b>	690 lm
	<b>Luminous efficacy (light source)</b>	115 lm / W
	<b>Colour temperature (CCT)</b>	2700 K
	<b>Colour Rendering Index (CRI)</b>	≥ 90


Optics	<b>Diffuser</b>	
	<b>Reflector</b>	

Electronic	<b>Watt</b>	6 W	<b>Modulation</b>	2.52%
	<b>Voltage</b>	100 – 240 V	<b>Flicker index</b>	0.01
	<b>Light control</b>	Dimmable	<b>SVM</b>	0.01 (flicker-free)


Packaging	<b>Dimensions</b>	Article-specific information
	<b>Gross weight</b>	Article-specific information




## w182 Pastille b2



## w182 Pastille p2




## w182 Pastille c1




# Article-specific information

<b>Version</b>	b2	p2	c1
<b>Mounting</b>	Base	Pin – Integrated (hole ø20 mm)	Clamp
<b>Arm</b>	Long	Long	Short
<b>Cord length</b>	200 cm	200 cm	200 cm
<b>Packaging dimensions</b>	L51.7 × W22.5 × H6.4 cm (0.007 m³)	L51.7 × W22.5 × H6.4 cm (0.007 m³)	L51.7 × W22.5 × H6.4 cm (0.007 m³)
<b>Gross weight</b>	2.4 kg	2.2 kg	2.3 kg
<b>Net weight</b>	1.9 kg	0.7 kg	0.8 kg
<b>Colour</b>	<b>Art. No. / EAN code</b>	<b>Art. No. / EAN code</b>	<b>Art. No. / EAN code</b>
<b>Oxide red (RAL 3009)</b>	182B23009 / 7330492008080	182P23009 / 7330492008363	182C13009 / 7330492008202
<b>Olive green (RAL 6003)</b>	182B26003 / 7330492008097	182P26003 / 7330492008370	182C16003 / 7330492008219
<b>Soft white (NCS 1002Y50R)</b>	182B20250 / 7330492008103	182P20250 / 7330492008387	182C10250 / 7330492008226
<b>Graphite black (RAL 9011)</b>	182B29011 / 7330492008110	182P29011 / 7330492008394	182C19011 / 7330492008233


w182 Pastille c2



w182 Pastille f1



w182 Pastille f2




## Article-specific information


Version	c2	f1	f2
Mounting	Clamp	Floor base	Floor base
Arm	Long	Short	Long
Cord length	200 cm	300 cm	300 cm
Packaging dimensions	L51.7 × W22.5 × H6.4 cm (0.007 m <sup>3</sup> )	L75.0 × W32.5 × H5.0 cm (0.01 m <sup>3</sup> )	L75.0 × W32.5 × H5.0 cm (0.01 m <sup>3</sup> )
Gross weight	2.3 kg	3.8 kg	3.8 kg
Net weight	0.8 kg	3.4 kg	3.4 kg

Colour	Art. No. / EAN code	Art. No. / EAN code	Art. No. / EAN code
Oxide red (RAL 3009)	182C23009 / 7330492008240	182F13009 / 7330492008288	182F23009 / 7330492008325
Olive green (RAL 6003)	182C26003 / 7330492008257	182F16003 / 7330492008295	182F26003 / 7330492008332
Soft white (NCS 1002Y50R)	182C20250 / 7330492008264	182F10250 / 7330492008301	182F20250 / 7330492008349
Graphite black (RAL 9011)	182C29011 / 7330492008271	182F19011 / 7330492008318	182F29011 / 7330492008356

w182 Pastille br1



w182 Pastille br2



## Article-specific information

Version	br1	br2
Mounting	Wall bracket	Wall bracket
Arm	Short	Long
Cord length	200 cm	200 cm
Packaging dimensions	L51.7 × W22.5 × H6.4 cm (0.007 m <sup>3</sup> )	L51.7 × W22.5 × H6.4 cm (0.007 m <sup>3</sup> )
Gross weight	2.3 kg	0.8 kg
Net weight	0.8 kg	0.8 kg

Colour	Art. No. / EAN code	Art. No. / EAN code
Oxide red (RAL 3009)	182BR13009 / 7330492008127	182BR23009 / 7330492008165
Olive green (RAL 6003)	182BR16003 / 7330492008134	182BR26003 / 7330492008172
Soft white (NCS 1002Y50R)	182BR10250 / 7330492008141	182BR20250 / 7330492008189
Graphite black (RAL 9011)	182BR19011 / 7330492008158	182BR29011 / 7330492008196