






WALDORF SUSPENSION DOUBLE



<b>type</b>	suspension					
<b>materials</b>	shade :	powder coated steel & aluminium				
	body :	powder coated aluminium				
	sphere :	milk glass (G60)				
	hardware :	brass				
	canopy :	powder coated steel				
<b>total height</b>	24"	28"	32"	36"	42"	54"
	610 mm	711 mm	813 mm	914 mm	1067 mm	1372 mm
	<b>weight</b>					
	min. 3.5 lb / 1.6 kg - max. 3.7 lb / 1.7 kg					
	<b>light bulb</b>					
	LED (included), 2x 4.5W					
<b>sockets</b>						
G9						
<b>voltage</b>						
120V / 240V						
<b>dimmer</b>						
refer to our recommended list of dimmer models						
<b>certifications</b>						
  						
<b>notes</b>						
<ul style="list-style-type: none"> <li>- must be installed by an electrician;</li> <li>- additional charges for modifications or for special orders;</li> <li>- lead time between 7-9 weeks;</li> <li>- dimensions are approximate and may vary slightly.</li> </ul>						



## ORDER GUIDE: SKU

<u>COLLECTION</u>	<u>MODEL</u>	<u>FINISH (shade and body, hardware)</u>	<u>HEIGHT</u>
<b>WAL</b> waldorf	<b>08</b>	<b>BLBR</b> black shade and body, brass hardware  <b>BLGR</b> black shade and body, graphite hardware  <b>WHBR</b> white shade and body, brass hardware	<b>A</b> 24" / 610 mm <b>B</b> 28" / 711 mm <b>C</b> 32" / 813 mm <b>D</b> 36" / 914 mm <b>E</b> 42" / 1067 mm <b>F</b> 54" / 1372 mm <b>V</b> custom
<b>WAL</b>	<b>08</b>	<b>BLBR</b>	<b>A</b> = <b>WAL08BLBRA</b> <i>example</i>

### FINISH



brass



flat black





graphite




flat white

### CANOPY swivel option for slanted ceiling



## LIGHT BULB & DIMMER SPECIFICATIONS

### G9 SOCKETS



Frosted  
4.5W  
100V-120V / 240V  
450 Lumens  
2700 K  
25 000 H  
CRI ≥80  
2 years warranty

### SPHERES



G60  $\varnothing \pm 2'' / 60 \text{ mm}$



### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

\*Other dimmers can yield good results and we recommend conducting your own test before final installation.